## ARIZONA EMERGENCY RADIO SYSTEM (AERS) STATE PLAN

### **PURPOSE**

The Arizona Emergency Radio System (AERS) is designed to provide interoperable communications capability to first responders of police, fire, and EMS agencies, as well as other personnel of municipal, county, state, tribal, and federal agencies and approved non-governmental organizations (NGO's) performing public safety activities. This system operates on designated interoperability frequencies.

These radio frequencies are to be used in the event of a multi-jurisdictional operation requiring the use of the common state radio channel(s), specifically for the use of coordinating activities during identified incidents. AERS frequencies are not to be used by a single agency for routine public safety operations.

The Arizona Statewide Interoperability Executive Committee (SIEC) shall serve as the state plan governing entity.

## **DEFINITIONS**

AERS: Arizona Emergency Radio System (Previously known as IARS Interagency

Radio System)

FCC: Federal Communications Commission

IC: Incident Command. The overall authority and control for the incident.

ICS: Incident Command System

Incident: An event or occurrence requiring the participation and coordination of more

than one public safety first responder agency requiring the services of more

than one agency.

Interoperability: The ability of public safety officials to share information via voice and data

signals on demand, in real time, when needed, and as authorized.

MOU: Memorandum of Understanding

NGO: Non-governmental organizations. NGO's are considered field users and shall

adhere to field user responsibilities as defined herein.

NIMS: National Incident Management System

Plain Language: Common English used to convey the message without the use of radio codes.

PSAP: Public Safety Answering Point. A Public Safety Answering Point is also

known as a 9-1-1 Center, Dispatch Center, or Fire Alarm Office (FAO), where public safety radio and telephone communication services are

provided 24 hours, 7 days per week.

SIEC: Statewide Interoperability Executive Committee

System Failure: Anything that interrupts the flow of communications or limits the

communications within the situation

## **ELIGIBILITY FOR PARTICIPATION**

1. Governmental agencies and NGO's, utilizing mobile and portable two-way radios, operated by personnel actively engaged in incident-related activities, are eligible to apply for operating authority.

- 2. Each participating agency shall be responsible for maintaining a Memorandum of Understanding with the SIEC for operation on the appropriate AERS frequency.
- 3. By federal statute, federal agencies are required to obtain permission to use the AERS frequencies through the National Telecommunications and Information Administration, unless a supporting agency provides all the mobile radios for the federal agency's use.

#### **OPERATIONAL GUIDELINES**

### **Channel Use**

The established priority-use levels for the system are described below. When a higher priority of use is required, all lower priority use must cease in ANY area where interference could occur.

The four priority levels are:

PRIORITY 1: Disaster and extreme emergency operations of large scale; for mutual aid and

interagency communications.

PRIORITY 2: Emergency or urgent operations involving imminent safety of life or

property.

PRIORITY 3: Special event control activities, generally of a pre-planned nature, and

involving joint participation of two or more agencies.

PRIORITY 4: Drill, maintenance, and test exercises.

### **Communication Center Responsibilities**

- 1. General Responsibilities
  - a. Continuously monitor AERS channel
  - b. Provide communication center staff training
  - c. Conduct periodic documented testing of AERS
- 2. Incident Communications Center Responsibilities
  - a. Monitor and respond on AERS channel(s)
  - b. Maintain dispatch documentation
  - c. Record audio and telephone traffic of event
  - d. Coordinate other agency unit response as requested or necessary
  - e. Resume general AERS operations and notify involved agencies at termination of incident.
- 3. Contingencies for System Failure
  - a. The primary dispatch communication center shall attempt alternate communication methods.
  - b. If the primary dispatch center is unable to establish alternative communication methods, dispatch responsibilities will be transferred to the next appropriate communication center.

# **Command and Control Responsibilities**

- 1. Incident Command Responsibilities
  - a. Establish ICS or NIMS protocol.
  - b. Identify IC and notify incident Communication Center. Under normal conditions, the agency initiating the request for interagency assistance shall assume incident command. Should the initial agency become unable to continue as IC, command will transfer to the next appropriate agency.
  - c. Identify nature of incident and request appropriate resources.
  - d. Utilize state plan priority levels to identify need.
  - e. Identify other support channels to be utilized for ICS or NIMS.
  - f. Use plain language, avoiding agency-specific radio codes.
  - g. Provide periodic update to Communications Center.
  - h. Enforce radio discipline.
  - i. Advise when incident is terminated.
  - j. Conduct briefing of planned events. Attendees should include operational and support representatives from all involved agencies.
  - k. Conduct debriefing with operational support representatives involved in the incident.
- 2. Contingencies for System Failure
  - a. The IC shall establish a plan for alternative communication methods in the event of a system failure.

# Field User Responsibilities

#### Field Users shall:

- 1. Operate within ICS or NIMS protocol.
- 2. Identify themselves by agency name and call sign (DPS200 or Mesa Fire Engine 201).
  - a. Agencies without calls signs should identify by organization and individual's name (Red Cross, Jones).
  - b. Nothing in this policy should preclude pre-planned, site specific/incident assignment calls signs.
- 3. Keep radio traffic to a minimum and use plain language.
- 4. Be available on the assigned channel.
- 5. Contingencies for System Failure
  - a. Field Users shall follow the established IC alternative communication plan.